Semi-Annual Index of Technical And Semi-Technical Refinery Articles

January-June, 1932

	Issue and Page Number
Cracking	
Old Dubbs units modernized by adding new equipment, by Arch L. Foster	Feb. 3, p. 28
One Cross plant has 140% more thruput at 57.5% more cost, by Arch L. Foster	Feb. 10, p. 29
New design Dubbs cracker solves Ohio Valley Refining anti-knock gasoline problem, by Arch L. Foster	Mar. 2, p. 25
Shell Oil new furnace design for cracking still protects radiant tube bank, by J. N. Westsmith	April 6, p. 31
Octane values increased thru design and operation of reforming units, by W. A. Goldtrap	April 13, p. 43
New cracking process for re-forming petroleum and natural gases	June 8, p. 24
Cracking, re-forming studied by Mid-Continent refiners, by Arch L. Foster	June 15, p. 32
Detonation, Knock Rating and Knock Testing	
New treating of vapor phase cracked distillates conserves knock rating and color of gasoline, Gyro process, by Dr. W. W. Holland	Dec. 30, 1931 p. 25
Octane number and Reid vapor pressure relationship in natural gasolines, by R. C. Alden	Jan. 20, p. 32
Octane numbers and percentage yields of cracked gasolines, by Dr. Gustav Egloff	Feb. 17, p. 32
New design Dubbs cracker solves anti-knock gasoline problem for Pennsylvania refiner, by Arch L. Foster	March 2, p. 25
Octane values increased thru design and operation of reforming units, by W. A. Goldtrap	April 13, p. 43
Improvements in motor design may halt octane number race, by B. E. Sibley	April 20, p. 31
Road and laboratory knock testing methods to be correlated	June 1, p. 40
Refiners object to proposed changes in knock testing method, C. F. R. method, by Arch L. Foster	June 8, p. 37
Change in knock testing method regarded as too severe by Bureau of Standards	June 15, p. 16
Refiners demand careful study before changing knock test method, by Arch L. Foster	June 22, p. 27
Composition, knock rating of straight run Pennsylvania gasoline, by M. R. Fenske	June 29, p. 32
Distillation	
Stabilizer and vapor recovery plant improve motor fuel quality, by G. A. Burrell and R. P. Mase	Jan. 27, p. 63
Laboratory vacuum distillation unit for lubricating oil study, by Boyd Guthrie and Ralph Higgins	Mar. 23, p. 27
Vapor recovery and gasoline fractionation, by Dr. George Granger Brown and Mott Souders, Jr. Part I	May 4, p. 63
Part II	May 11, p. 27
Part III	May 25, p. 24
Hydrogenation	
German company is marketing hydrogenated motor fuel, by Arch L. Foster	Feb. 17, p. 35
Lubricants and Lubrication	
New Sperry-Cammen machine actually tests oiliness	June 29, p. 30
Search for test method for extreme pressure lubricants under way	June 29, p. 31
Composition of greases and methods of analysis, by F. W. Wenzel, Jr.	Jan. 6, p. 25
New viscosity index system solves oil classification problem, by C. M. Larson and W. C. Schwaderer	Jan. 13, p. 26
Viscosity tolerances wider in new free wheel lubricant specifications, by A. Ludlow Clayden	Jan. 27, p. 23
Testing method for extreme pressure lubricants to be developed, by A. Ludlow Clayden	Feb. 3, p. 23
Constant temperature air bath for grease and petroleum penetration tests, by E. L. Ruh and C. A. Neusbaum	Feb. 10, p. 35
Improvements in lubricants and gasoline mark 1931 refining developments, by H. W. Camp	Feb. 17, p. 29
Analysis of mineral oil content of lubricating greases, by C. A. Fosler. Part I	Mar. 9, p. 35
Part II	Mar. 16, p. 33
Laboratory vacuum distillation unit for lubricating oil study, by Boyd Guthrie and Ralph Higgins	Mar. 23, p. 27
Wider viscosity limits for free wheel lubricants, by H. R. Wolf and H. C. Mougey	June 1, p. 33
Machine for determinfng static coefficients in testing oiliness of lubricants, S. O. Calif. develops	June 1, p. 42
Frequent crankcase draining cheap insurance against damage to motors, by Walter C. Bauer	June 22, p. 36
Motor and Other Fuels	
Stabilizer and vapor recovery plant improve motor fuel quality, by G. A. Burrell and R. P. Mase	Jan. 27, p. 63
Improvements in gasoline, lubricants, are 1931 refining developments, by H. W. Camp	Feb. 17, p. 29
Refining industry turns to synthesis to meet modern machine demands, by Dr. Gustav Egloff	Feb. 17, p. 31
Octane numbers and percentage of yields of cracked gasolines	Feb. 17, p. 32
German company markets hydrogenated motor fuel, by Arch L. Foster	Feb. 17, p. 35
Octane values increased through design and operation of re-forming units, by W. A. Goldtrap	April 13, p. 43
Improvements in motor design may halt octane number race, by B. E. Sibley	April 20, p. 31
Moratorium on octane number race, H. L. Horning says	April 27, p. 12
Gasoline and motor oil needs of	

Semi-Annual Index of Technical And Semi-Technical Refinery Articles

January-June, 1932

	Issue and Page Number
Cracking	
Old Dubbs units modernized by adding new equipment, by Arch L. Foster	Feb. 3, p. 28
One Cross plant has 140% more thruput at 57.5% more cost, by Arch L. Foster	Feb. 10, p. 29
New design Dubbs cracker solves Ohio Valley Refining anti-knock gasoline problem, by Arch L. Foster	Mar. 2, p. 25
Shell Oil new furnace design for cracking still protects radiant tube bank, by J. N. Westsmith	April 6, p. 31
Octane values increased thru design and operation of reforming units, by W. A. Goldtrap	April 13, p. 43
New cracking process for re-forming petroleum and natural gases	June 8, p. 24
Cracking, re-forming studied by Mid-Continent refiners, by Arch L. Foster	June 15, p. 32
Detonation, Knock Rating and Knock Testing	
New treating of vapor phase cracked distillates conserves knock rating and color of gasoline, Gyro process, by Dr. W. W. Holland	Dec. 30, 1931 p. 25
Octane number and Reid vapor pressure relationship in natural gasolines, by R. C. Alden	Jan. 20, p. 32
Octane numbers and percentage yields of cracked gasolines, by Dr. Gustav Egloff	Feb. 17, p. 32
New design Dubbs cracker solves anti-knock gasoline problem for Pennsylvania refiner, by Arch L. Foster	March 2, p. 25
Octane values increased thru design and operation of reforming units, by W. A. Goldtrap	April 13, p. 43
Improvements in motor design may halt octane number race, by B. E. Sibley	April 20, p. 31
Road and laboratory knock testing methods to be correlated	June 1, p. 40
Refiners object to proposed changes in knock testing method, C. F. R. method, by Arch L. Foster	June 8, p. 37
Change in knock testing method regarded as too severe by Bureau of Standards	June 15, p. 16
Refiners demand careful study before changing knock test method, by Arch L. Foster	June 22, p. 27
Composition, knock rating of straight run Pennsylvania gasoline, by M. R. Fenske	June 29, p. 32
Distillation	
Stabilizer and vapor recovery plant improve motor fuel quality, by G. A. Burrell and R. P. Mase	Jan. 27, p. 63
Laboratory vacuum distillation unit for lubricating oil study, by Boyd Guthrie and Ralph Higgins	Mar. 23, p. 27
Vapor recovery and gasoline fractionation, by Dr. George Granger Brown and Mott Souders, Jr. Part I	May 4, p. 63
Part II	May 11, p. 27
Part III	May 25, p. 24
Hydrogenation	
German company is marketing hydrogenated motor fuel, by Arch L. Foster	Feb. 17, p. 35
Lubricants and Lubrication	
New Sperry-Cammen machine actually tests oiliness	June 29, p. 30
Search for test method for extreme pressure lubricants under way	June 29, p. 31
Composition of greases and methods of analysis, by F. W. Wenzel, Jr.	Jan. 6, p. 25
New viscosity index system solves oil classification problem, by C. M. Larson and W. C. Schwaderer	Jan. 13, p. 26
Viscosity tolerances wider in new free wheel lubricant specifications, by A. Ludlow Clayden	Jan. 27, p. 23
Testing method for extreme pressure lubricants to be developed, by A. Ludlow Clayden	Feb. 3, p. 23
Constant temperature air bath for grease and petroleum penetration tests, by E. L. Ruh and C. A. Neusbaum	Feb. 10, p. 35
Improvements in lubricants and gasoline mark 1931 refining developments, by H. W. Camp	Feb. 17, p. 29
Analysis of mineral oil content of lubricating greases, by C. A. Fosler. Part I	Mar. 9, p. 35
Part II	Mar. 16, p. 33
Laboratory vacuum distillation unit for lubricating oil study, by Boyd Guthrie and Ralph Higgins	Mar. 23, p. 27
Wider viscosity limits for free wheel lubricants, by H. R. Wolf and H. C. Mougey	June 1, p. 33
Machine for determinfng static coefficients in testing oiliness of lubricants, S. O. Calif. develops	June 1, p. 42
Frequent crankcase draining cheap insurance against damage to motors, by Walter C. Bauer	June 22, p. 36
Motor and Other Fuels	
Stabilizer and vapor recovery plant improve motor fuel quality, by G. A. Burrell and R. P. Mase	Jan. 27, p. 63
Improvements in gasoline, lubricants, are 1931 refining developments, by H. W. Camp	Feb. 17, p. 29
Refining industry turns to synthesis to meet modern machine demands, by Dr. Gustav Egloff	Feb. 17, p. 31
Octane numbers and percentage of yields of cracked gasolines	Feb. 17, p. 32
German company markets hydrogenated motor fuel, by Arch L. Foster	Feb. 17, p. 35
Octane values increased through design and operation of re-forming units, by W. A. Goldtrap	April 13, p. 43
Improvements in motor design may halt octane number race, by B. E. Sibley	April 20, p. 31
Moratorium on octane number race, H. L. Horning says	April 27, p. 12
Gasoline and motor oil needs of	

January-June, 1932	Issue and Page Number
modern motor car, by A. Ludlow Clayden	April 27, p. 28
Octane ratings leveling out, Bureau of Mines says in 24th semi-annual gasoline survey	May 25, p. 13
Laboratory knock test and road methods to be correlated by S. O. California	June 1, p. 40
Five characteristics of gasoline discussed by Dr. O. C. Bridgeman	June 15, p. 16
Composition, Knock rating of straight run Pennsylvania gasoline, by M. R. Fenske	June 29, p. 32
Natural Gasoline	
Gasoline manufacturers find method of contracting new grades	Jan. 6, p. 74
Octane number and Reid vapor pressure relationship in natural gasoline, by R. C. Alden	Jan. 20, p. 32
Future value of natural gasoline, by Emby Kaye	April 20, p. 27
Vapor recovery and gasoline fractionation, by Dr. George Granger Brown and Mott Souders, Jr. Part I	May 4, p. 63
Part II	May 11, p. 27
Part III	May 25, p. 24
East Texas natural gasoline yield cut by intermittent production, by G. H. L. Kent	May 18, p. 30
Graphic analysis gives accurate results, by L. A. Pocock and M. G. Blair	May 18, p. 37
Gasoline plant equipment and design studied, by Arch L. Foster	May 25, p. 21
Oil Treatment	
Treatment of Light Distillates:	
New treating method conserves knock rating and color of gasoline, by Dr. W. W. Holland	Dec. 30, 1931 p. 25
Granular brucite successful as gas and gasoline treating agent	Mar. 30, p. 31
Plant Control and Modernization	
Stabilizer and vapor recovery plant improve motor fuel quality, by George A. Burrell and R. P. Mase	Jan. 27, p. 63
How old Dubbs units are modernized by adding new equipment, by Arch L. Foster	Feb. 3, p. 28
Omar Refining modernizes with new equipment	Mar. 2, p. 18
Atlantic Refining spends $22,000,000 preparing for new economic order	Mar. 2, p. 19
Gasoline plant equipment and design studied, by Arch L. Foster	May 25, p. 21
Cracking and re-forming studied by Mid-Continent refiners, by Arch L. Foster	June 15, p. 32
Refining, General	
Processes and Products:	
Chemists discuss production of refinery by-products	Jan. 20, p. 18
Refinery sulfur dioxide nuisance eliminated with simple installation, by J. B. Rather	June 1, p. 32
Closed system effective for disposal of sulfur gases in refinery, by William Mendius	June 8, p. 42
New method of making soluble oils	June 22, p. 30
Costs:	
Cuts coke handling labor costs with mechanical equipment, by J. C. Chatfield	May 11, p. 36
Specifications	
Octane number and Reid vapor pressure relationship in natural gasoline, by R. C. Alden	Jan. 20, p. 32
Viscosity tolerances wider in new free wheel lube specifications; S. A. E., A. S. T. M. and A. P. I. modify, by A. Ludlow Clayden	Jan. 27, p. 23
Testing method extreme pressure lubricants to be developed, by A. Ludlow Clayden	Feb. 3, p. 23
North Dakota changes specifications to conform with U. S.	Feb. 10, p. 67
Oklahoma adopts U. S. tests for motor gasoline	Feb. 24, p. 51
Drying time for Stoddard solvent to be developed	Mar. 16, p. 30
Federal fuel oil specification revision proposed at A. S. T. M. meet	Mar. 16, p. 30
Gasoline survey, 24th semi-annual, by Bureau of Mines	Mar. 16, p. 40
North Carolina jobbers want higher gasoline standards	Mar. 30, p. 99
Propane, butane, tentative specifications and test methods of N. G. A.	April 6, p. 35
Trade standards for commercial gasolines planned by W. P. R. A., by J. C. Chatfield	April 13, p. 32
Colorado issues specifications for colored gasoline	April 27, p. 27
A. S. T. M. adopts viscosity-temperature chart as tentative standard	June 22, p. 28
General Information	
Chemists discuss production of refinery by-products	Jan. 20, p. 18
Crystallizing rubber hydrocarbon accomplished by Dr. C. E. Waters, by Arch L. Foster	Feb. 17, p. 35
Improvements in lubricants and gasoline mark 1931 refining developments, by H. W. Camp	Feb. 17, p. 29
Refining industry turns to synthesis to meet modern machine demands, Dr. Egloff says	Feb. 17, p. 31
Research identifying nitrogen, sulfur naphthenic compounds in petroleum, by Dr. J. von Braun	Feb. 24, p. 28
New gasoline volume correction table for temperature published by Bureau of Standards	Mar. 2, p. 36
Foster Wheeler designs flash evaporation system to produce cooling water	Mar. 9, p. 42
Corrosion loss in oil industry is $125,000,000 a year	Mar. 23, p. 71
Cuts coke handling labor costs with mechanical equipment, by J. C. Chatfield	May 11, p. 36
Refinery sulfur dioxide nuisance eliminated with simple installation, by J. B. Rather	June 1, p. 32
Frequent crankcase draining cheap insurance against damage to motors, by Walter C. Bauer	June 22, p. 36

N. P. N. Semi-Annual Author Index

January-June, 1932 Author — Title	Issue and Page Number
Alden, R. C.—Octane number and Reid vapor pressure relationship in natural gasolines	Jan. 20, p. 32
Bauer, Walter C.—Frequent crankcase draining cheap insurance against damage to motors	June 22, p. 36
Blair, M. G.—Graphic analysis gives accurate results	May 18, p. 37
Brown, Dr. George Granger—Vapor recovery and gasoline fractionation Part I	May 4, p. 63
Part II	May 11, p. 27
Part III	May 25, p. 24
Burrell, Col. George A.—Stabilizer and vapor recovery plant improve motor fuel quality	Jan. 27, p. 63
Camp, H. W.—Improvements in lubricants and gasoline mark 1931 refining developments	Feb. 17, p. 29
Chatfield, J. C.—Mechanical equipment cuts coke handling costs	May 11, p. 36
Trade standards for commercial gasolines planned by W. P. R. A.	April 13, p. 32
Clayden, A. Ludlow—Viscosity tolerances wider in new free wheel lube specifications	Jan. 27, p. 23
Testing method for extreme pressure lubricants to be developed	Feb. 3, p. 23
Gasoline and motor oil needs of modern motor car	April 27, p. 28
Egloff, Dr. Gustav—Refining industry turns to synthesis to meet modern machine demand	Feb. 17, p. 31
Fenske, M. R.—Composition and knock rating of straight run Pennsylvania gasoline	June 29, p. 32
Fosler, C. A.—Analysis of mineral oil content of lubricating greases Part I	Mar. 9, p. 35
Part II	Mar. 16, p. 33
Foster, Arch L.—Old Dubbs units modernized by adding new equipment	Feb. 3, p. 28
One Cross plant has 140% more thruput at 57.5% more cost	Feb. 10, p. 29
New design Dubbs cracker solves Ohio Valley Refining anti-knock gasoline problem	Mar. 2, p. 25
Cracking, re-forming studied by Mid-Continent refiners	June 15, p. 32
Refiners object to proposed changes in knock testing method; C. F. R. method	June 8, p. 37
German company is marketing hydrogenated motor fuel	Feb. 17, p. 35
Gasoline plant equipment and design studied	May 25, p. 21
Crystallizing rubber hydrocarbon accomplished by Dr. C. E. Waters	Feb. 17, p. 35
Refiners demand careful study before changing knock test method	June 22, p. 27

January-June, 1932 Author — Title	Issue and Page Number
Goldtrap, W. A.—Octane values increased through design and operation of re-forming units.	April 13, p 43
Guthrie, Boyd—Laboratory vacuum distillation unit for lubricating oil study	Mar. 23, p. 27
Higgins, Ralph—Laboratory vacuum distillation unit for lubricating oil study	Mar. 23, p. 27
Holland, Dr. W. W.—New treating method conserves knock rating and color of gasoline, Gyro process	Dec 30, 1931, p. 25
Kaye, Emby—Future value of natural gasoline	April 20, p. 27
Kent, G. H. L.—East Texas natural gasoline yield cut by intermittent production	May 18, p. 30
Larson, C. M.—New viscosity index system solves oil classification problem	Jan. 13, p. 26
Mase, R. P.—Stabilizer and vapor recovery plant improve motor fuel quality	Jan. 27, p. 63
Mougey, H. C.—Wider viscosity limits for free wheel lubricants	June 1, p. 33
Neusbaum, C. A.—Constant temperature air bath for grease and petrolatum penetration tests	Feb. 10, p. 35
Pocock, L. A.—Graphic analysis of natural gasoline gives accurate results	May 18, p. 37
Rather, J. B.—Refinery sulfur dioxide nuisance eliminated with simple installation	June 1, p. 32
Ruh, E. L.—Constant temperature air bath for grease and petrolatum penetration tests	Feb. 10, p. 35
Schwaderer, W. C.—New viscosity index system solves oil classification problem	Jan. 13, p. 26
Sibley, B. E.—Improvements in motor design may halt octane number race	April 20, p. 31
Smith, Lawrence E.—Henderson gasoline plant ordered to stop gas wastage	Feb. 17, p. 17
Souders, Jr., Mott—Vapor recovery and gasoline fractionation Part I	May 4, p. 63
Part II	May 11, p. 27
Part III	May 25, p. 24
Von Braun, Dr. J.—Research identifying nitrogen, sulfur naphthenic compounds in petroleum	Feb. 24, p. 28
Wenzel, Jr., F. W.—Composition of greases and methods of analysis	Jan. 6, p. 25
Westsmith, J. N.—Shell Oil new furnace design for cracking still protects radiant tube bank	April 6, p. 31
Wolf, H. R.—Wider viscosity limits for free wheel lubricants	June 1, p. 33